

## SALES SPECIFICATION

# EASTMAN

Specification No: 03107-5  
Effective Date: 9/15/2010  
Page: 1 of 1

PRODUCT NAME
Eastman™ MIPK (Methyl Isopropyl Ketone)

SPECIFICATIONS		
PROPERTY	LIMITS	TEST METHOD
Appearance, P/F	CLEAR, CLEAN LIQUID	ASTM D-2090
Color, PTCO	10 MAX	TXAL-A-XX-G-VCC-005
Water, W%	0.2 MAX	ASTM E-203
Acidity as Acetic Acid, W%	0.02 MAX	ASTM D-1613
Methyl Isopropyl Ketone, W%	98.5 MIN	TXAL-A-XX-G-GC-040
Other Ketones, W%	0.8 MAX	TXAL-A-XX-G-GC-040

Eastman™ MIPK (Methyl Isopropyl Ketone) a trademark of Eastman Chemical Company.

Eastman Chemical Company • P.O. Box 511 • Kingsport, Tennessee 37662 USA • 1-800-EASTMAN • 1-423-229-2000 • [www.EASTMAN.com](http://www.EASTMAN.com)

*For reasons of safety and accuracy, the person performing this procedure must be thoroughly trained and under the supervision of a professional person who is knowledgeable in the relevant science. Equipment and materials described should be used in accordance with safety precautions recommended by their manufacturers. Limits in this specification are applicable only to data obtained by the referenced test method.*

*Neither Eastman Chemical Company nor its marketing affiliates shall be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability or fitness of any product; and nothing herein waives any of the seller's conditions of sale.*